

MAGNETIC ANOMALY MAP OF THE WORLD
CARTE DES ANOMALIES MAGNÉTIQUES DU MONDE

EXPLANATORY NOTES / NOTICE EXPLICATIVE

OBJECTIVE OF THE MAP / OBJECTIF DE LA CARTE
 This map is the first global compilation of the results of magnetic anomaly information derived from more than 50 years of aeromagnetic surveys over land areas, research vessel magnetometer traverses at sea, and observations from earth-orbiting satellites, supplemented by anomaly values derived from oceanic crustal ages. The objective is to provide an interpretive dimension to surface observations of the Earth's composition and geologic structure. Magnetospheric, petrologic, and redox state all have important effects on the magnetism of crustal materials. The magnetic anomalies represented on this map originate primarily in igneous and metamorphic rocks in the Earth's crust and possibly uppermost mantle. Magnetic anomalies represent an estimate of the short-wavelength (<2000 km) fields associated with these parts of the Earth, after estimates of fields from other sources have been subtracted from the measured field magnitude. In most places the magnetic anomaly field is less than 1 per cent of the total magnetic field. The natural increase of temperature with depth in the Earth means that rocks below a certain depth, termed the Curie depth, will be essentially non-magnetic. This depth is typically in excess of 20 km in stable continental regions, but may be as shallow as 2 km in young oceanic regions. Studies of crustal magnetism have contributed to geodynamic models of the lithosphere, geologic mapping, and natural resource exploration. Inferences from crustal magnetic field maps such as these, interpreted in conjunction with other information, can help delineate geologic provinces, locate igneous intrusions, dikes, faults, and other geologic entities that have a magnetic contrast with their surroundings. To this end, the Magnetic Anomaly Map of the World is available in both digital and map form. The anomaly field itself is shown at an altitude of 5 km above the WGS84 ellipsoid.

The magnetic fields shown on this map are designed to be internally consistent over the measurement domain, extending from the surface to satellite altitude. Upward continuation of the data shown on this map to satellite altitude yields the magnetic anomaly field model derived from the CHAMP satellite (MFS; Maus et al., 2007a). Long-wavelength features appearing in the map are based on downward continuation of the MFS model. Short-wavelength anomalies are from marine and aeromagnetic compilations compiled at 5 km altitude, or from a model based on a digital age map of the ocean combined with the geomagnetic polarity time scale. The near-surface compilations are distinguished from the satellite-based and oceanic model data by way of shading, and their distribution can be seen in the accompanying index map. Finally, the entire data set is displayed using the natural color scale (red = high, blue = low) with a shaded relief effect using artificial illumination.

PREPARATION OF THE MAP / PRÉPARATION DE LA CARTE
 Least-squares collocation (LSC), a technique commonly used in geodesy (Moritz, 1980) was the primary method used for gridding and estimating the anomalies at 5 minutes arc spacing. The model correlation functions were tuned to the observed correlations from the data over Australia, Korea and North America. The details of the LSC model functions and the process itself are described in Maus et al. (2007b). Other methods of interpolation and gridding, embedded in Geosoft or GMT (Wessel and Smith, 1998), were also used.

Different pre-existing data compilations were merged by initially removing linear trends and then using the LSC techniques, with weights proportional to distance from the margins of the grids. Long-wavelength (<400 km, or spherical harmonic degrees <100) were removed from the individual compilations, and replaced with the CHAMP magnetic anomaly field downward continued to 5 km altitude (Hemant et al., 2007). The marine data available from the National Geophysical Data Center (NGDC) was reduced using the Comprehensive Model (Sabaka et al., 2004). The marine data were interpolated whenever the data density was sufficiently high (Hamoudi et al., 2007).

In marine areas where no near-surface data exist, the digital age map of the ocean (Miller et al., 1997) was combined with the magnetic time scales of Cox and Kent (2007) and Kent and Gradstein (1986) in order to estimate the near-surface fields. The assumptions used in estimating these fields do not work well over the Cretaceous and Jurassic quiet zones, and hence the fields over these features are not shown in this map. Magnetic fields calculated from the digital age map of the oceans should only be used to indicate the general character of the magnetic field patterns in a region, and may prove unreliable indicators of actual individual magnetic field amplitudes or polarities.



Two versions (A and B) of the map are available in digital form on the accompanying DVD. The B version is shown in the accompanying map. The A version differs in its handling of areas without near-surface data, which are filled with the downward-continued CHAMP magnetic field model. In contrast, the B version contains both model data derived from CHAMP and marine ages, with a priority given to the marine age data. Both versions, when upward-continued to satellite altitude, reproduce the magnetic anomaly field derived from the CHAMP satellite.

The thick white lines shown on the map locate undifferentiated tectonic elements, and include ridges, fracture zones, and trenches. The black lines locate coastlines, and a few major rivers. In the case of the Antarctic, the Antarctic Digital Data base has been used for coastlines.

BIBLIOGRAPHY / BIBLIOGRAPHIE
 Gee, J.S. and Kent, D.V., 2007. Source of oceanic magnetic anomalies and the geomagnetic polarity time scale, Chapter 12, in Kent, D.V., ed., Volume 5 Geomagnetism: Treatise on Geophysics. Amsterdam: Elsevier, in press.
 Hamoudi, M., Thebaault, E., Lesur, V., and Mandea, M., 2007. Geoforschungszentrum Anomaly Magnetic Map (GAMMAM): A candidate model for the World Digital Magnetic Anomaly Map. Geophysics, Geophys. Geosyst., doi:10.1029/2007GC001638
 Hemant, K., Thebaault, E., Mandea, M., Ravat, D., and Maus, S., 2007. Magnetic anomaly map of the world: merging airborne, marine and ground-based magnetic data sets. Earth Planet. Sci. Lett., in press.
 Kent, D.V. and Gradstein, F.M., 1986. Jurassic to Recent chronology, in P.K. Vogt and R.E. Tucholke (editors), *The Western North Atlantic Region, Geology of North America* Volume M (Geological Society of America, Boulder), 45-58.
 Maus, S., Lühr, H., Roeder, M., Hemant, K., Balasis, G., Ritter, P., and Stolle, C., 2007a. Fifth generation lithospheric magnetic field model from CHAMP satellite measurements. Geophysics, Geophys. Geosyst., in press.
 Maus, S., Sazonova, T., Hemant, K., Fairhead, D. and Ravat, D., 2007b. The NGDC candidate for the World Digital Magnetic Anomaly Map. Geophysics, Geophys. Geosyst., in press.
 Moritz, H., 1980. *Advanced Physical Geodesy*, Herbert Wichmann Verlag, Karlsruhe.
 Miller, R.D., Roest, W.R., Royer, J.Y., Galagan, L.M., and Sclater, J.G., 1997. Digital isochron of the world's ocean floor. *Journal of Geophysical Research*, 102, 2311-2324.
 Sabaka, T.J., Olsen, N., and Purucker, M.E., 2004. Extending comprehensive models of the Earth's magnetic field with Orbited and CHAMP data. *Geophysics*, J. Int., 159, 231-247, doi:10.1111/j.1365-2465.2004.02421.x
 Wessel, P. and Smith, W., 1998. New, improved version of Generic Mapping Tools released. *EOS*, transactions of the American Geophysical Union, 79, 579.

MAJOR DATA SETS, THEIR WDMAM CODES, SPATIAL RESOLUTION, AND LINKS

Code	Area covered	Resolution	Reference
130	MFS	5 km	Maus et al. (2007a)
101.41	Marine track-line	variable	NGDC, http://www.ngdc.noaa.gov/mag/tracklines.html
101.45		variable	Interpolated (101.41) Non-interpolated (101.45)
121.43	Arctic	5 km	Geoscience Canada, http://gsc.nrcan.gc.ca/index_e.php
131.45	Project Magnet	variable	NGDC, http://www.ngdc.noaa.gov/geomag/proj_mag.shtml
171.44	Electronic model	10 km	NASA candidate model, http://www.nasa.gov
201.2	Africa	15 min	GETECH, http://www.getech.com
201.2	South America	15 min	GETECH, http://www.getech.com
212.3	South Africa	5 km	S.A.M.C., http://www.samc.int
231.32	Botswana	5 km	http://www.gov.bw/
302.43	Antarctic	5 km	ADMAPP, http://earthscience.us.edu/admap
401.3	Europe	2 km	Geoscience Canada, http://gsc.nrcan.gc.ca/index_e.php
411.43	East Asia	2 km	ECCOP, http://www.eccop.or.th
421.43	Middle East	1 km	IAAMRE, http://home.esu.edu/~alcerrewj/iaamre/index.html
441.3	India	5 km	ESI, http://www.esi.gov.in
442.2	India	50 km	Qureshy, M.N., 1982, <i>Photogrammetry</i> , Vol. 27, 161-184
451.32	Japan	1 km	http://www.aist.go.jp/ISTJ/
601.43	Australia	1 km	Geoscience Australia, http://www.ga.gov.au
601.43	Europe	5 km	Wonsik, T. et al., 2001, <i>Terra Nova</i> , Vol 13, 203-213
611.3	Ferrometals	5 km	CTK, http://www.gtk.fi
621.31	Australia	5 km	http://www.gnd.gov.au/
621.2	Canary Islands	5 km	Publ. Tec. No. 35, Instituto Geografico Nacional, Madrid, 1996
624.22	Finland	1 km	http://projekte.gtk.fi/WDMAM/
625.2	France	10 km	IPGP, http://www.ipgp.fr/en/
626.2	Italy	5 km	Chappell, M. et al., 2006, <i>Annali di Geofisica</i> , Vol 43, No.5
627.43	Spain	1.5 min	Sociedad I. et al., 1991, <i>Earth Planet. Sci. Lett.</i> , 105, 55-64
628.3	Russia	5 km	NSGEM, http://www.nsgem.ru/WAY/24738/bsca/en/
701.43	North America	1 km	NAMAG, http://pubs.usgs.gov/namag_map/
711.32	Mexico	5 km	http://www.cerebrum.gob.mx/
811.45	Argentina Inland	5 km	SEGEMAR, http://www.segemar.gov.ar/dh/
812.3	Argentina margin	5 km	Instituto Antártico Argentino, http://igcc.coma.gov.ar/iaa/patv2002/



COMMISSION FOR THE GEOLOGICAL MAP OF THE WORLD / COMMISSION DE LA CARTE GÉOLOGIQUE DU MONDE

MAGNETIC ANOMALY MAP OF THE WORLD
CARTE DES ANOMALIES MAGNÉTIQUES DU MONDE

Scale 1:50,000,000 Echelle 1 / 50 000 000

(2007 - 1st Edition) Map published by CGMW with support of UNESCO
 (2007 - 1ère édition) Carte publiée par la CCGM avec le concours de l'UNESCO

Authors / Auteurs
 Juha V. Korhonen, J. Derek Fairhead, Mohamed Hamoudi, Kumar Hemant, Vincent Lesur, Mioara Mandea, Stefan Maus, Michael Purucker, Dhananjay Ravat, Tatiana Sazonova and Erwan Thébault

With data contribution by
 Sven Aaro, Tarmo All, Carlos Jorge Chernicoff, Massimo Chiappini, Alejandro Cuevas, J. Derek Fairhead, Marta Ghidella, Takemi Ishihara, Juha V. Korhonen, Anant Khotpal, Robert P. Kucks, Mioara Mandea, Stefan Maus, Susan McLean, Peter Milligan, Jean-Louis Le Mouél, Tipps Ngwisanyi, Odlev Olesen, Oleg Petrov, Mark Pilkington, Michael Purucker, Jonas Satkunas, José Manuel Martínez Solares, Edgar Stettler, Robert Supper, Dhananjay Ravat, Colin Reeves, Rein Vaher, Maarten de Wit and Thomas Wonik


Internal review organized by Dhananjay Ravat and Colin Reeves
 Other reviewers: Takemi Ishihara, Juha V. Korhonen, Vincent Lesur, Stefan Maus, Peter Milligan and Michael Purucker

External scientific review organized by Jean-Paul Cadet and Philippe Rossi
 Reviewers: Patrick Taylor and Kathryn Whaler

WDMAM executive committee: Juha V. Korhonen, Colin Reeves, Marta Ghidella, Takemi Ishihara, Tamara Litvinova, Mioara Mandea, Stefan Maus, Susan McLean, Peter Milligan, Michael Purucker and Dhananjay Ravat

International umbrella: Uri Shamir, Charles Barton, Jean-Paul Cadet and Philippe Rossi

Logos: IAGA, UNESCO, GFZ, NASA, NOAA, and other contributing organizations.



Mercator Projection / Projection de Mercator
 Ellipsoid WGS84 / Ellipsoïde WGS84
 Equatorial Scale 1 : 50,000,000 / Echelle équatoriale 1 / 50 000 000
 North and South Poles / Pôles Nord et Sud
 Polar Stereographic Projection / Projection Stéréographique Polaire